

World leader technology Meticulous precision Excellent quality

PASSED ISO9001
CERTIFICATION



GLOBAL DISTRIBUTORS DESIGNATED
RECOMMENDED BRAND



Professional technology
www.gf-cvjoint.com

YUHUAN GUANFENG AUTO PARTS CO.,LTD

Address:Auto and Motor Parts Ind, Zone, Yuhuan,
Zhejiang, China

Mobile phone: +86-13456624768


QQ:673283647

E-mail:kai@gf-cvjoint.com

[Http://www.gf-cvjoint.com](http://www.gf-cvjoint.com)

C. V. Joint & Axle

Provide professional
auto pure
components





We get you to your
destination safely.



YUHUAN GUANFENG AUTO PARTS CO.,LTD



C. V. Joint & Axle

www.gf-cvjoint.com Professional technology

Introduction

简介

Providing system technology and value-added services for the automotive industry chain, making sustainable value creators.



玉环县冠丰汽车零部件座落在一座新兴的港口城市，气候适宜，交通便捷，北靠宁波、上海；南临温州、福州；西接风景秀丽的雁荡山——玉环。

我们拥有多年的专业球笼和整轴制造经验，先进的生产技术和丰富的科学管理经验,在公司200多名员工的共同努力下，公司的年销售量达到百万只以上。公司自行研制开发了几种球笼型号，产品覆盖丰田、本田、大众、奥迪、通用、现代、雪铁龙等知名汽车品牌。

公司在“诚信为本、互惠与利、共同发展”的经营理念指导下，真诚希望与您共同发展。欢迎您来电来函查询，我们将以最优的价格、最好的服务、最佳的品质恭候您的到来。

YUHUAN GUANFENG AUTO PARTS CO.,LTD,located in “the Automobile Parts Industry Base of China”,Yuhuan County, Zhejiang Province,is a specialized C.V Joint manufacturer. With innovative products,professional teams and scientific management,GUANFENG has become more and more attractive in domestic and international markets.

GUANGFENG is certified by ISO/TS16949:2009 quality management system.We have manufacture experience in C . V joint for more than ten years. Our product line covers nearly all the well-known automobile brands,such as V.W,HONDA,TOYOTA,AUDI,HYUNDAI,etc.

Our products are mainly exported to Europe , Middle East , Africa and so on . GUANFENG sincerely wishes to establish long-term business relation with all different clients with good quality,competitive price and reliable service.

企业宗旨：
质量最强，服务一流

企业理念：
以管理提升效益
通过公司的规范和优化管理来保证客户和投资者的每一份利益。

以质量延续企业生命
质量不仅仅意味着产品的质量，我们的包装和服务也是我们注重质量的范围。

Corporate purposes:
Best Quality,First-class service

To manage to promote effective
Through the company's norms and to ensure optimal management of every customer and investor interests.

Extend to the quality of corporate life
Quality does not just mean the product quality,our packaging and service quality is our focus range.





Production Workshop

生产车间

Fine Technique, Professional Manufacturer
技术精良, 专业制造



冠丰为您打造高质量的球笼，不断精益求精是我们一直的追求。球笼产品开发和生产是我们传统的核心业务的一部分。从生产到出厂每一道工序都严格把控，为求完美，不断改良。

GUANFENG to make high-quality C. V. Joint for you, continued pursuit of excellence we have been. C. V. Joint product development and production are part of our traditional core business. From production to the factory each procedure are strictly controlled, for the sake of perfection.

我们相信优秀的产品出自优秀的人才，我们对员工定期培训，保障产品质量。我们的员工兢兢业业，在一次又一次的历程中不断提升，他们坚持企业理念，用智慧和勤劳创造出优质的产品。

We believe the best products from the best people, our hands-on training for staff on a regular basis and this ensure product quality. Our employees work diligently, in the experience again and again. They keep rising, they insist on business philosophy, with the wisdom and hard work, our staff create quality products.



C.V.Joint


Which is made of carefully selected materials and has passed many precisely designed and several tests before it was delivered to our customers. GF company produces & distributes outboard C.V. Joints Specially developed with molybdenum coating on ball groove of inner races as well as the cage. Carburized heat treatment on the joint enhances the reliability & durability. This fixed joint is connected to the wheel side. The allowable angle is 46.5. This angle of the tires when the steering wheel the fully turned. Which is what determines minimum turning radius.



C.V.Axle with AC Joint

On cath end of the shaft is a ribbed rubber boot that covers a constant velocity joint (CV Joint). The AC Joint is the flexible coupling that allows the outer wheel to street. And the TJInner C.V. Joint allows the shaft to follow the up and down motions of the suspension as the vehicle travels down the road.





HY-9003



DA-9001



TO-9003



CC-9011A



BD-9019



起亚KA-9049A



GL-1001A



BD-1004A



LD-1001/LD-001



CA-1002A/FD-899A



SK-1024/SK-024



CT-1025/CT-814



CY-1004



GL1003/DA-839A



AD-1014A/AD-801A



ME-1001A/ME-801A



HY-1010A/HY-804A



HY-1006A



VW-5017/VW-709



MI-1026/MI-026



MI-1001/MI-001



CT-1003/CT-003



DA-1024/DA-024



BM-1003/BM-801



OP-1007A/OP-007A



HO-1029/HO-862



SK-1026/SK-026



NI-1022A/NI-022A



LD-1002/LD-002



GM-1015A/GM-015A



BD-1003A/TO-981A



VW-1011/VW-011



DA-1007/DA-801



SB-1010/SB-010



FI-1009/FI-821



MZ-1001/MZ-001



TO-1001/TO-001



KA-1007A



NI-1011/NI-011



TO-1065/TO-816



IZ-1012/IZ-808



HO-1019A/HO-019A



TO-5041/TO-743



FD-5035



CY-1003




OP-1001A/OP-001A

USE FOR 适用于




DRIVE SHAFT

A: External Teeth, wheel Side
B: External Teeth, gearbox Side
ABS: ABS Number of teeth on ABS ring
L: Length




OUTER C.V.JOINT

A: External Teeth, wheel Side
B: Internal Teeth, wheel Side
C: Seal Diameter (mm)
ABS: ABS Number of teeth on ABS ring
I: Groove type: Inner
M: Groove type: Middle
O: Groove type: Outer




INNER C.V.JOINT

A: External Teeth, gearbox side
B: Internal Teeth, gearbox side
C: Seal Diameter (mm)



TRIPOD

A: Internal Teeth
B: Diameter (mm)



CONTENTS

AFRICA	01-05
CENTRAL ASIA	06-08
IRAN	08
EGYPT	09-11
GEORGIA	12-13
NIGERIA	14-18
SOUTH AFRICA	19-21
SOUTH AMERICA	22-24
DRIVE SHAFT	25-31
TRIPOD	32-36

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	VOLKSWAGEN	PASSAT1.8	WAD-12	33	30	53	45	I
2	OUTER C.V.JOINT	TOYOTA	CAMI	WDA-3	24	19	52	48	M
3	OUTER C.V.JOINT	TOYOTA	PASSO NEW	WDA-16	24	29	47		I
4	OUTER C.V.JOINT	TOYOTA	PASSO 2004-UP 1.0	WDA-18	24	26	47		I
5	OUTER C.V.JOINT	TOYOTA	CORONA/ RAV4	WTO-5	26	24	56		I
6	OUTER C.V.JOINT	TOYOTA	RAV4/CARINA E/COROLLA/NADIA	WTO-6	26	24	56	48	I
7	OUTER C.V.JOINT	TOYOTA	STARLET	WTO-8	23	23	56		I
8	OUTER C.V.JOINT	TOYOTA	PROBOX	WTO-11	26	25	56		M
9	OUTER C.V.JOINT	TOYOTA	PROBOX	WTO-12	26	25	56	48	M
10	OUTER C.V.JOINT	TOYOTA	MARK II	WTO-15	26	30	56		I
11	OUTER C.V.JOINT	TOYOTA	COROLLA	WTO-22	26	23	56		I
12	OUTER C.V.JOINT	TOYOTA	COROLLA	WTO-23	26	23	56	48	I
13	OUTER C.V.JOINT	TOYOTA	COROLLA 2001 1.8	WTO-26	26	29	56		O
14	OUTER C.V.JOINT	TOYOTA	COROLLA 2001	WTO-27	26	29	56	48	O
15	OUTER C.V.JOINT	TOYOTA	COROLLA/VITZ KSP90	WTO-29	26	22	56	48	M
16	OUTER C.V.JOINT	TOYOTA	CAMRY USA	WTO-31	30	27	56		I
17	OUTER C.V.JOINT	TOYOTA	ESTIMA/ PREVIA/TOWNACE	WTO-33	26	27	56		I
18	OUTER C.V.JOINT	TOYOTA	CAMRY 1993 UP 2.0	WTO-37	26	27	56		M
19	OUTER C.V.JOINT	TOYOTA	CAMRY 1993 UP 2.0 ABS	WTO-38	26	27	56	48	M
20	OUTER C.V.JOINT	TOYOTA	CAMRY 1997-UP 2.2	WTO-39	26	32	56		I
21	OUTER C.V.JOINT	TOYOTA	CAMRY 2.5	WTO-41	26	24	56		M
22	OUTER C.V.JOINT	TOYOTA	COROLLA II TERCEL CORSA	WTO-46	26	22	56		M
23	OUTER C.V.JOINT	TOYOTA	CAMRY USA	WTO-52	26	26	56		M
24	OUTER C.V.JOINT	TOYOTA	CAMRY USAABS	WTO-53	26	26	56	48	M
25	OUTER C.V.JOINT	TOYOTA	PRADO 1997-UP	WTO-62	30	30	70		I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	OUTER C.V.JOINT	TOYOTA	HILUX VIGO	WTO-63	30	29	72.5		M
27	OUTER C.V.JOINT	TOYOTA	YARIS/VITZ	WTO-67	24	22	56		I
28	OUTER C.V.JOINT	TOYOTA	HILUX SURF/4RUNNER	WTO-69	30	27	69		I
29	OUTER C.V.JOINT	TOYOTA	AVENSIS	WTO-70	26	23	56		M
30	OUTER C.V.JOINT	TOYOTA	COROLLA 1.8	WTO-72	26	24	58		I
31	OUTER C.V.JOINT	TOYOTA	COROLLA 1.8	WTO-73	26	24	58	48	I
32	OUTER C.V.JOINT	TOYOTA	VITZ/PLATZ /	WTO-74	24	23	58		I
33	OUTER C.V.JOINT	TOYOTA	VITZ/PLATZ /	WTO-75	24	23	58	48	I
34	OUTER C.V.JOINT	TOYOTA	RAV4 2003 UP	WTO-84	26	27	63		I
35	OUTER C.V.JOINT	TOYOTA	RAV4 2003 UP	WTO-85	26	27	63	48	I
36	OUTER C.V.JOINT	TOYOTA	COROLLA 2001	WTO-86	26	23	58		I
37	OUTER C.V.JOINT	TOYOTA	COROLLA 2001	WTO-87	26	23	58	48	I
38	OUTER C.V.JOINT	TOYOTA	VITZ/PLATZ 1.0	WTO-93	24	26	58		I
39	OUTER C.V.JOINT	TOYOTA	VITZ/PLATZ 1.0	WTO-94	24	26	58	48	I
40	OUTER C.V.JOINT	TOYOTA	HIACE/HILUX	WTO-95	30	24	59		I
41	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-100	24	22	58		I
42	OUTER C.V.JOINT	TOYOTA	ALPHARD G/V	WTO-107	30	26	61.5	48	M
43	OUTER C.V.JOINT	TOYOTA	LEXUS RX	WTO-130	30	34	61.5	48	M
44	OUTER C.V.JOINT	TOYOTA	VITZ YARIS ECHO	WTO-135	26	20	55.5		M
45	OUTER C.V.JOINT	TOYOTA	RUSH/TERIOS	WTO-140	24	22	52		M
46	OUTER C.V.JOINT	TOYOTA	LAND CRUISER	WTO-142	30	24	59		I
47	OUTER C.V.JOINT	TOYOTA	LEXUS GS S196	WTO-144	30	30	56		M
48	OUTER C.V.JOINT	TOYOTA	Harrier/RX330	WTO-151	30	26	61.5	48	M
49	OUTER C.V.JOINT	TOYOTA	YARIS NEW	WTO-154	26	19	56		I
50	OUTER C.V.JOINT	TOYOTA	COROLLA L/M	WTO-156	26	23	56		I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
51	OUTER C.V.JOINT	TOYOTA	YARIS 2001 UP	WTO-158	24	19	58		I
52	OUTER C.V.JOINT	TOYOTA	YARIS 2001 UP	WTO-159	24	19	58	48	I
53	OUTER C.V.JOINT	TOYOTA	CAMRY 2007-UP	WTO-175	26	26	61	48	M
54	OUTER C.V.JOINT	TOYOTA	ESTIMA/CAMRY 6	WTO-178	30	27	63		I
55	OUTER C.V.JOINT	TOYOTA	TOYOTA	WTO-184	24	28	56		O
56	OUTER C.V.JOINT	TOYOTA	LAND CRUISER	WTO-186	36	30	78		I
57	OUTER C.V.JOINT	TOYOTA	REVO 2016-	WTO-188	30	29	70		M
58	OUTER C.V.JOINT	TOYOTA	COROLLAAXIO/FIELDER/WISH	WTO-191	26	25	58	48	M
59	OUTER C.V.JOINT	TOYOTA	ALLION NEW	WTO-193	26	25	55.5		I
60	OUTER C.V.JOINT	TOYOTA	XTRAIL 2014-	WTO-206	26	19	51.8		M
61	OUTER C.V.JOINT	TOYOTA	Camry/Rav4	WTO-208	26	27	63.3	48	M
62	INNER C.V.JOINT	TOYOTA	COROLLAAE100	NT0-2	23	23	34		
63	OUTER C.V.JOINT	SUZUKI	VITARA	WSK-19	26	22	48		M
64	OUTER C.V.JOINT	SUZUKI	ALTO/CARRY 06-UP	WSK-32	23	19	49		M
65	OUTER C.V.JOINT	SUZUKI	GRAND VITARA	WSK-42	28	22	58.2		I
66	OUTER C.V.JOINT	NISSAN	SUNNY L/M	WNI-10	25	23	55		I
67	OUTER C.V.JOINT	NISSAN	SUNNY L/M ABS	WNI-11	25	23	55	42	I
68	OUTER C.V.JOINT	NISSAN	SUNNY/ALMERA O/M	WNI-12	25	22	52.2		M
69	OUTER C.V.JOINT	NISSAN	SUNNY/ALMERA/WINGROAD N/M	WNI-14	25	22	55		M
70	OUTER C.V.JOINT	NISSAN	SUNNY/ALMERA/WINGROAD N/M	WNI-15	25	22	55	42	M
71	OUTER C.V.JOINT	NISSAN	MAXIMA	WNI-23	27	25	56		I
72	OUTER C.V.JOINT	NISSAN	PATHFINDER	WNI-42	28	27	50		I
73	OUTER C.V.JOINT	NISSAN	juke	WNI-43	23	22	49		M
74	OUTER C.V.JOINT	NISSAN	MARCH/MICRA	WNI-49	23	19	48		M
75	OUTER C.V.JOINT	NISSAN	HARD BODY	WNI-59	28	25	50		I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
76	OUTER C.V.JOINT	NISSAN	ROGUE	WNI-64	29	35	56		I
77	OUTER C.V.JOINT	NISSAN	MURANO	WNI-69	29	25	56		M
78	OUTER C.V.JOINT	NISSAN	CEFIRO/MAXIMA	WNI-70	29	25	56	44	M
79	OUTER C.V.JOINT	NISSAN	SENTRA 2012-	WNI-73	29	24	56		M
80	OUTER C.V.JOINT	NISSAN	SUNNY-INDIAN	WNI-80	25	21	49		M
81	OUTER C.V.JOINT	NISSAN	MARCH/MICRA/TIIDA N/M	WNI-81	25	22	49		M
82	OUTER C.V.JOINT	NISSAN	QASHQAI J10 1.6	WNI-82	29	33	56		I
83	OUTER C.V.JOINT	NISSAN	TIIDA	WNI-83	25	23	49		M
84	OUTER C.V.JOINT	NISSAN	MARCH/MICRA L/M	WNI-86	25	29	49		I
85	OUTER C.V.JOINT	NISSAN	JUKE/J31	WNI-87	29	24	56		M
86	OUTER C.V.JOINT	NISSAN	juke	WNI-95	29	22	56.3		M
87	OUTER C.V.JOINT	NISSAN	NOTE 2016-	WNI-106	25	21	49		M
88	OUTER C.V.JOINT	MITSUBISHI	LANCER 07-/LANCER /ASX 07-	WCH-11	28	33	59.5		I
89	OUTER C.V.JOINT	MITSUBISHI	LANCER	WMI-89	28	30	59.5		I
90	OUTER C.V.JOINT	MAZDA	MAZDA 3 L/M	WMZ-5	26	28	56		M
91	OUTER C.V.JOINT	MAZDA	MAZDA 3	WMZ-9	26	22	56		I
92	OUTER C.V.JOINT	MAZDA	CRONOS	WMZ-18	28	23	56		I
93	OUTER C.V.JOINT	MAZDA	DEMIO 1998-UP	WMZ-26	24	19	52		M
94	OUTER C.V.JOINT	MAZDA	ATENZA	WMZ-43	28	32	62		I
95	OUTER C.V.JOINT	MAZDA	ATENZA	WMZ-44	28	32	62	44	I
96	OUTER C.V.JOINT	MAZDA	TRIBUTE	WMZ-58	28	24	56		M
97	OUTER C.V.JOINT	MAZDA	MAZDA 2003	WMZ-63	36	22	55.2		I
98	OUTER C.V.JOINT	MAZDA	DEMIO 2008-2012	WMZ-75	25	29	53.8		I
99	OUTER C.V.JOINT	KIA	PICANTO 2006-UP	WKA-1	24	20	52.5		M
100	OUTER C.V.JOINT	KIA	RIO	WMZ-4	24	21	52		M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
101	OUTER C.V.JOINT	HYUNDAI	SANTA FE	WHY-2	30	36	73	52	I
102	OUTER C.V.JOINT	HYUNDAI	TUCSON IX35	WHY-26	27	24	62	48	M
103	OUTER C.V.JOINT	HYUNDAI	SPORTAGE 06-UP	WHY-32	27	24	62	48	M
104	OUTER C.V.JOINT	HYUNDAI	SPORTAGE	WHY-51	27	25	62	48	M
105	OUTER C.V.JOINT	HYUNDAI	ELANTRA/I30	WHY-58	27	22	60	46	M
106	OUTER C.V.JOINT	HYUNDAI	TUCSON 2014-	WKA-2	24	20	52.5	48	M
107	OUTER C.V.JOINT	HONDA	CRV N/M	WHO-7	28	32	63		M
108	OUTER C.V.JOINT	HONDA	CIVIC OLD MODEL	WHO-12	26	30	49		M
109	OUTER C.V.JOINT	HONDA	ACCORD N/M	WHO-14	28	32	60		M
110	OUTER C.V.JOINT	HONDA	CIVIC	WHO-20	26	30	55		M
111	OUTER C.V.JOINT	HONDA	VEZEL 2013-	WHO-23	30	30	68		M
112	OUTER C.V.JOINT	HONDA	CRV	WHO-34	28	32	64		M
113	OUTER C.V.JOINT	HONDA	FIT L/M	WHO-39	26	28	52		M
114	OUTER C.V.JOINT	HONDA	FIT	WHO-48	23	25	52		M
115	OUTER C.V.JOINT	HONDA	CIVIC 95-00	WHO-52	26	28	55		M
116	OUTER C.V.JOINT	FORD	RANGER	WMZ-36	26	25	61		M
117	OUTER C.V.JOINT	DAIHATSU	TERIOS	WDA-3	24	19	52	48	M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	CHEVROLET	NEXIA SOHC	WOP-21	22	29	52		O
2	OUTER C.V.JOINT	CHEVROLET	NEXIA DOHC	WGM-4	33	29	52		O
3	OUTER C.V.JOINT	CHEVROLET	SPARK	WOP-48	22	20	52		M
4	OUTER C.V.JOINT	CHEVROLET	Cruze	WGM-18	33	31	59		M
5	OUTER C.V.JOINT	CHEVROLET	Cobalt, Aveo T300 АКПП	WGM-22	25	30	52.5		I
6	OUTER C.V.JOINT	CHEVROLET	MATIZ/TICO	WOP-19	23	19	46		O
7	OUTER C.V.JOINT	CHEVROLET	NEXIA(SOHC)	WOP-52	22	29	52		O
8	OUTER C.V.JOINT	CHEVROLET	COBALT	WOP-53	25	22	50.7		M
9	OUTER C.V.JOINT	CHEVROLET	NEXIA-3	WOP-38	22	22	51.9	47	O
10	OUTER C.V.JOINT	CHEVROLET	JENTRA/LACETTI	WOP-24	33	22	52	47	O
11	OUTER C.V.JOINT	CHEVROLET	CAPTIVA 3.2	WGM-27	30	34	54		O
12	OUTER C.V.JOINT	CHEVROLET	COBALT AT	WGM-26	25	30	52		I
13	OUTER C.V.JOINT	CHEVROLET	EPICA	WCY-2	28	32	55		O
14	OUTER C.V.JOINT	CHEVROLET	SPARK	WOP-49	22	20	52	47	M
15	OUTER C.V.JOINT	CHEVROLET	LACETTI 1.8Z ABS	WGM-6	33	29	52	47	O
16	OUTER C.V.JOINT	CHEVROLET	LACETTI	WGM-5	33	29	52	47	O
17	INNER C.V.JOINT	CHEVROLET	NEXIA DOHC/SOHC	NOP-2	34	22	35		O
18	INNER C.V.JOINT	CHEVROLET	COBALT IN AT LH	NGM-7	22	30	35		
19	INNER C.V.JOINT	CHEVROLET	COBALT IN AT RH	NGM-8	22	30	35		
20	INNER C.V.JOINT	CHEVROLET	GENTRA LH	NGM-11	22	29	35		
21	INNER C.V.JOINT	CHEVROLET	LACETTI	NGM-10	34	29	35		
22	INNER C.V.JOINT	CHEVROLET	NEXIA SOHC	NOP-3	34	22	35		O
23	OUTER C.V.JOINT	CHEVROLET	GENTRA	WOP-42	22	19	52	47	O
24	INNER C.V.JOINT	CHEVROLET	GENTRA M/T	NOP-8	34	22	35		O
25	INNER C.V.JOINT	CHEVROLET	LACETTI M/T	NGM-9	34	29	39		

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	OUTER C.V.JOINT	CHEVROLET	CAPTIVAA/T	WGM-14	30	34	54.5		O
27	OUTER C.V.JOINT	CHEVROLET	MALIBU1 A/T	WGM-25	30	34	59		M
28	OUTER C.V.JOINT	HYUNDAI	Ceed, Cerato II, Soul I, i30 cABS	WHY-66	27	22	60	46	M
29	OUTER C.V.JOINT	KIA	Cerato	WKA-4	25	22	50	44	M
30	OUTER C.V.JOINT	LADA	2108	WLD-1	22	22	50		I
31	INNER C.V.JOINT	LADA	2108	NLD-1	24	22	35		
32	OUTER C.V.JOINT	LADA	2121	WLD-3	22	22	56		I
33	INNER C.V.JOINT	LADA	2121 LH	NLD-3	22	22	40		
34	INNER C.V.JOINT	LADA	2121 RH	NLD-4	22	22	40		
35	OUTER C.V.JOINT	LADA	21230	WLD-5	24	22	56	48	I
36	OUTER C.V.JOINT	LADA	21213	WLD-4	24	22	56		I
37	OUTER C.V.JOINT	VOLKSWAGEN	Polo Sedan, Rapid 12- AT	WVW-17	36	30	52		I
38	OUTER C.V.JOINT	VOLKSWAGEN	Polo Sedan MT	WVW-26	36	30	50.8		I
39	OUTER C.V.JOINT	OPEL	VECTRAA/ASTRA F 1.4/1.6	WOP-1	22	22	52		O
40	OUTER C.V.JOINT	OPEL	VECTRAA/ASTRA F 1.8/2.0	WOP-11	33	25	52		O
41	INNER C.V.JOINT	OPEL	VECTRAA 89-95, ASTRA F 89-93 1.8 2.0	NOP-7	34	25	35		O
42	OUTER C.V.JOINT	TOYOTA	COROLLAAE100/CORONAAT190	WTO-1	26	23	56		I
43	OUTER C.V.JOINT	TOYOTA	CORONA ST190/191	WTO-3	26	24	56		I
44	OUTER C.V.JOINT	TOYOTA	CAMRY SXV10	WTO-17	26	32	56		I
45	OUTER C.V.JOINT	TOYOTA	CAMRY MCV10/AVALON MCX10	WTO-19	30	34	56		I
46	OUTER C.V.JOINT	TOYOTA	SIENNA MCL20	WTO-32	30	27	56	48	I
47	OUTER C.V.JOINT	TOYOTA	CAMRY SXV10/20	WTO-34	26	27	56	48	I
48	OUTER C.V.JOINT	TOYOTA	CAMRY MCV20/AVALON MCX20	WTO-51	30	26	56	48	M
49	OUTER C.V.JOINT	TOYOTA	CAMRY SXV20	WTO-92	26	24	56	48	M
50	OUTER C.V.JOINT	TOYOTA	CAMRY 2012 ASV50L	WTO-58	26	30	58	48	I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
51	OUTER C.V.JOINT	TOYOTA	COROLLA 2012 ZRE142L	WTO-132	26	32	58	48	I
52	OUTER C.V.JOINT	TOYOTA	COROLLA 2010 ZRE142	WTO-133	26	33	69.4	48	I
53	OUTER C.V.JOINT	TOYOTA	CAMRY ACV30	WTO-110	26	24	61	48	M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	KIA	KIA PRIDE 20T	WMZ-24	24	20	52		M
2	OUTER C.V.JOINT	KIA	KIA PRIDE 19T	WKA-7	24	19	52		O
3	OUTER C.V.JOINT	KIA	KIA PRIDE 19T ABS	WKA-8	24	19	52	48	O
4	OUTER C.V.JOINT	KIA	KIA PRIDE 20T ABS	WKA-6	24	20	52	48	M
5	INNER C.V.JOINT	KIA	KIA PRIDE 20T ABS	NKA-1	22	20	35		
6	INNER C.V.JOINT	KIA	KIA PRIDE 19T ABS	NKA-2	22	19	35		
7	OUTER C.V.JOINT	PEUGEOT	P405 22T WITH 48T ABS	WCT-39	25	22	57.5	48	M
8	OUTER C.V.JOINT	PEUGEOT	P405 24T WITH 48T ABS	WCT-27	25	24	58.5	48	M
9	OUTER C.V.JOINT	PEUGEOT	P206 21T WITH 48T ABS	WCT-31	21	21	48	48	I
10	OUTER C.V.JOINT	PEUGEOT	P206 22T WITH 48TABS	CT-1075A	25	22	58.5	48	I
11	OUTER C.V.JOINT	PEUGEOT	P206 22T WITH 48T ABS	CT-1074A	21	22	50.8	48	I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	VOLKSWAGEN	GOLF 5 ESSGOLF V/PASSAT B7/JETTA III; AUDITT Roadster(8J9)(2007/03 - 2014/06); GOLF V/PASSAT B7 /JETTA III; AUDIA3 Convertible (8P7) (2008/04 - 2013/05); SEATALTEA (5P1)(2004/03 - /); SEATTOLEDO III (5P2)(2004/04 - 2009/05);	WVW-10	36	30	59.5		I
2	OUTER C.V.JOINT	VOLKSWAGEN	GOLF IV/BORA; AUDI A3 (8L1) 1.6 1996-2003 SEAT LEON (1M1) 1.4-1.9 1999-2006 SEAT TOLEDO II (1M2) 1.4-1.6 1998-2004 SKODA OCTAVIA (1U2) 1.4-1.9 1996-2010 VW BORA (1J2) 1.4-1.9 1998-2005 VW GOLF IV Variant (1J5) 1.4-1.9 1999-2006	WVW-12	36	30	53		I
3	INNER C.V.JOINT	TOYOTA	COROLLA 84-2007	NT0-2	23	23	34		
4	INNER C.V.JOINT	TOYOTA	COROLLA 2008	NT0-12	23	23	34		
5	OUTER C.V.JOINT	TOYOTA	TOYOTA COROLLA 1300	WTO-21	26	23	56		I
6	OUTER C.V.JOINT	SUZUKI	AMENITY ESTEEM 1.3; SWIFT 1.0,1.3L 89-94 / GEO METRO 89-94; SWIFT 2004-2010; SUZUK ALTO 0.8 (SB308/CA)	WSK-18	23	19	49		M
7	OUTER C.V.JOINT	SUZUKI	MARUTI 86-92 / SUZUKI ALTO 0.8 86-93; SUZUKI BALENO 1997 2001; SUZUK ALTO 0.8 (SB308/CA); SUZUKI MARUTI DE 23 DI 18 RETEN 44-L:140 S/ MEDIO	WSK-20	23	18	44		M
8	INNER C.V.JOINT	SUZUKI	SUZUKI MARUTI-ALTO-DE 22 DI 18 RETEN 35 C /TRICETA; SUZUKI MARUTI 1995-2009; SUZUKI MARUTI-ALTO-	NSK-3	22	18	32		
9	OUTER C.V.JOINT	SKODA	FAVORIT 1.3-1.308/87-/FELICIA1.3 (M.T.)-1.9DIESEL(M.T.)01/95-02/98 FORMAN1.3-1.308/87-/	WSO-1	22	22	45		I
10	OUTER C.V.JOINT	NISSAN	NISSAN SUNNY(SENTRA)/PULSAR/ AURAL/SPIRIT/NX-COUPE 90-B13 Y10 GA14DS GA15DS 1300 1400 1500	WNI-16	25	22	55		I
11	OUTER C.V.JOINT	MITSUBISHI	MITSUBISHI LANCER 1.3L	WMI-75	25	29	57		I
12	OUTER C.V.JOINT	MITSUBISHI	MATRIX 25 TEETH	WMI-8	25	25	50		M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
13	OUTER C.V.JOINT	MAZDA	MAZDA 323 80-88 KIA RIO 00-05; KIAAVELLA 1.5-RIO 1.5 MAZDA 323 1.5 1.6 LASER 1.5 DE 24 DI 22 RET 52 S/MEDIO MAZDA 121 I (DA) 1.1 1987-1990 MAZDA 323 II (BD) 1.1-1.5 1981-1986 MAZDA 323 II Hatchback (BD) 1.1-1.5 980-1985 MAZDA 323 III Hatchback (BF) 1.1-1.7 985-1989 MAZDA 323 III Station Wagon (BW) 1.5-1.7 1986-1995	WMZ-1	24	22	52		M
14	OUTER C.V.JOINT	MAZDA	KIAAVELLA 1.3- RIO 1.3 MAZDA 121 ARTIS 1.6 323 1.3 DE 24 DI 21 RETEN 52 S MEDKIAAVELLA 1.3- RIO 1.3 MAZDA 121- ARTIS 1.6-323 1.3 77-87 MAZDA 323 III Hatchback (BF) 1.7 D KIAAVELLA 1.3- RIO 1.3 MAZDA 121 ARTIS 1.6 323 1.3 DE 24 DI 21 RETEN 52 S/MED	WMZ-4	24	21	52		M
15	INNER C.V.JOINT	KIA	KIA PICANTO LKS; KIAPICANTO (BA) (2004/04 - /)	NMI-32	25	20	35		
16	OUTER C.V.JOINT	KIA	KIA CERATO- SPECTRA 06-	WMZ-32	28	22	56		M
17	INNER C.V.JOINT	KIA	KIA POP 1.1/PRIDE 1.3 FORD FESTIVA 90/93-	NMZ-9	22	20	35		
18	OUTER C.V.JOINT	HYUNDAI	HYUNDAI ATOZ/VISTO MATIC ATOS 1.0 98Y ATOS AM CR ATOS (MX) 1.0 1998- ATOS PRIME (MX) 1.0 i 1999- ATOS DE 25 DI 19 RETEN 50 S/ MEDIO	WHY-3	25	19	50		M
19	INNER C.V.JOINT	HYUNDAI	HYUNDAI VERNA MT	NMI-2	25	22	35		
20	INNER C.V.JOINT	HYUNDAI	HYUNDAI VERNA AT	NMI-19	25	22	35		
21	OUTER C.V.JOINT	HYUNDAI	HYUNDAI VERNA - ACCENT	WMI-1	25	22	50		M
22	OUTER C.V.JOINT	HYUNDAI	HYUNDAI ELANTRA 2007 - KIA CERATO 2008 AT	WHY-58	27	22	60	46	M
23	OUTER C.V.JOINT	HYUNDAI	ELANTRA 94-2005	WMI-13	25	23	50		M
24	INNER C.V.JOINT	HYUNDAI	MATRIX	NMI-6	25	30	35		
25	INNER C.V.JOINT	HYUNDAI	ELANTRA 2008 - KIA CERATO - KIA CARENS	NMI-21	25	22	41		
26	OUTER C.V.JOINT	HONDA	HONDA CIVIC 92 1300-1500	WHO-20	26	30	55		M
27	OUTER C.V.JOINT	HONDA	HONDA CIVIC 96	WHO-32	26	28	55		M
28	OUTER C.V.JOINT	FIAT	Fiat 147 1.0/1.3 76/86Uno1.0/ 1.384/85Prêmio1.3 85/10.85	WFI-2	20	20	43		O

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
29	OUTER C.V.JOINT	DAIHATSU	CUORE II (L80, L81) 0.8 1985-1990; LEEZA 0.7 1990-1994; MOVE (L6_, L9_) 0.7-1.0 1994-2002	WDA-10	24	19	44		M
30	OUTER C.V.JOINT	DAIHATSU	CUORE III (L201) 0.8 1990-1998; MOVE (L6_, L9_) 0.8-1.0 1996-2002	WDA-11	24	20	44		M
31	OUTER C.V.JOINT	DAEWOO	DAEWOO LANOS	WOP-21	22	29	52		O
32	OUTER C.V.JOINT	DAEWOO	DAEWOO CIELO 1.5 GLX 2001-2012	WOP-26	33	22	52		I
33	OUTER C.V.JOINT	DAEWOO	MATIZ-SPARK CR; MATIZ (KLYA) 0.8 (38 kW) 1998.09-; HOMOCINETICAL/ RUEDA; MATIZ/CHEVROLET SPARK; CHERY DE 23 DI 19 RETEN 46 S; EXTERIOR	WOP-19	23	19	46		O
34	INNER C.V.JOINT	DAEWOO	DW LANOS	NOP-8	34	22	35		O
35	OUTER C.V.JOINT	DAEWOO	CHEVROLET AVEO 04- (RODADO); DAEWOO KALOS (KLAS) (2002/09 -)	WOP-37	22	22	51.9		O
36	INNER C.V.JOINT	CHEVROLET	CHEVROLET OPTRA	NGM-1	22	29	38		
37	OUTER C.V.JOINT	CHEVROLET	OPTRA	WOP-33	33	22	52		O
38	OUTER C.V.JOINT	CHERY	SPERANZAA516	WCY-1	28	30	53		I
39	OUTER C.V.JOINT	BYD	BYD F3 1.5 2009-/GEELY VISION 1.8 2005- MAPLE (SMA) SMA HAIJING 1.8 2009-	WGL-1	26	23	58.2	48	M
40	OUTER C.V.JOINT	BYD	BYD F3	WTO-76	26	32	58	48	M
41	OUTER C.V.JOINT	BUICK	BUICK (SGM) SGM EXCELLE Saloon 1.6 2003-2008 CHEVROLET LACETTI (J200) 1.4-1.8 16V 2005-NUBIRA Estate 1.6 2005-DAEWOO NUBIRA Saloon (KLAN) 1.8 2003-	WOP-23	33	22	52		O

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	BMW	X-5 E-53/	WBM-1	30	27	64.8		M
2	OUTER C.V.JOINT	BMW	W164	WBM-6	30	37	70		I
3	OUTER C.V.JOINT	HONDA	HONDA FIT 1,3	WHO-4	30	32	68		M
4	OUTER C.V.JOINT	HONDA	HONDA FIT 1,5	WHO-7	28	32	63		M
5	OUTER C.V.JOINT	HONDA	CRV/HONDA CRV RD-1 USA EX	WHO-15	28	32	60	50	M
6	OUTER C.V.JOINT	HONDA	CRV	WHO-21	26	30	55	50	M
7	OUTER C.V.JOINT	HONDA	HONDA CR-V R-5 2,0/	WHO-47	23	25	52		M
8	OUTER C.V.JOINT	HONDA	CRV RD5	WHO-60	28	32	63		M
9	INNER C.V.JOINT	HONDA	CRV USA R	NHO-6	27	32	40		
10	INNER C.V.JOINT	HONDA	HONDA CRV RD-1 JAPAN IN	NHO-7	27	30	40		
11	INNER C.V.JOINT	HONDA	CRV USA L	NHO-8	27	32	40		
12	INNER C.V.JOINT	HONDA	HONDA CRV RD-1 JAPAN IN	NHO-13	27	30	40		
13	INNER C.V.JOINT	HONDA	FIT	NHO-16	25	25	34.8		
14	OUTER C.V.JOINT	MAZDA	MZ GG GY	WMZ-44	28	32	62	44	I
15	OUTER C.V.JOINT	MERCEDES BENZ	MERCEDES VITO PETROL EX	WME-1	27	27	59.8	48	I
16	OUTER C.V.JOINT	MERCEDES BENZ	MERCEDES VITO DIESEL EX	WME-2	27	36	71.5	48	I
17	OUTER C.V.JOINT	MERCEDES BENZ	MERCEDES B-CLASS	WME-9	25	27	60		I
18	OUTER C.V.JOINT	MITSUBISHI	MITSUBISHI IO	WMI-40	25	23	54	43	I
19	OUTER C.V.JOINT	NISSAN	NISSAN MIKRA 1,0 EX	WNI-31	23	22	48	42	I
20	OUTER C.V.JOINT	NISSAN	NISSAN MIKRA 1,3 EX	WNI-50	23	19	48	42	M
21	OUTER C.V.JOINT	OPEL	OPEL 1,6/OPEL ASTRA VECTRA 1,6 EX	WOP-2	22	22	52	29	O
22	OUTER C.V.JOINT	OPEL	CORSA/OPEL CORSA EX	WOP-7	22	28	52	29	O
23	OUTER C.V.JOINT	OPEL	ASRTA-G 1,8	WOP-11	33	25	52		O
24	OUTER C.V.JOINT	OPEL	OPEL ASTRA VECTRA 2,0 EX	WOP-12	33	25	52	29	O
25	OUTER C.V.JOINT	OPEL	ASTRA-G 1,6	WOP-34	33	22	52	29	O

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	INNER C.V.JOINT	OPEL	VECTRA-A 2,0/ IN	NOP-7	34	25	35		O
27	INNER C.V.JOINT	OPEL	ASTRA 1,6/	NOP-10	22	22	35		O
28	OUTER C.V.JOINT	SUBARU	SUBARU	WSB-14	27	23	56	44	M
29	OUTER C.V.JOINT	TOYOTA	PRIUS	WTO-87	26	23	58	48	I
30	OUTER C.V.JOINT	VOLKSWAGEN	PASSAT.AUDI-6 1,8 EX	WAD-11	33	30	53		I
31	OUTER C.V.JOINT	VOLKSWAGEN	PASSAT 1,8	WAD-12	33	30	53	45	I
32	OUTER C.V.JOINT	VOLKSWAGEN	PASSAT 2,8/PASSAT.AUDI-6 2,8 EX	WAD-13	38	27	59.5	45	I
33	OUTER C.V.JOINT	VOLKSWAGEN	PASSAT. AUDI 4-matic	WAD-15	38	30	59.5	45	I
34	OUTER C.V.JOINT	VOLKSWAGEN	GOLF-3 1,6 EX	WVW-4	22	30	50		I
35	OUTER C.V.JOINT	VOLKSWAGEN	GOLF-3 1,6	WVW-8	22	30	51		O
36	OUTER C.V.JOINT	VOLKSWAGEN	GOLF-3 1,8-2,0/GOLF-3 1,8 EX	WVW-9	22	30	51		I
37	OUTER C.V.JOINT	VOLKSWAGEN	GOLF-4 1,6/GOLF-3 1,6 IN	WVW-12	36	30	53		I
38	OUTER C.V.JOINT	VOLKSWAGEN	GOLF-4 2,0/GOLF-4 2,0 EX	WVW-23	36	30	53.2		I
39	INNER C.V.JOINT	VOLKSWAGEN	GOLF-3 2,0/GOLF-3 2,0 IN	NVW-5		33			
40	INNER C.V.JOINT	VOLKSWAGEN	GOLF-3 1,4--1,6	NVW-10		33			

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	TOYOTA	Avensis 0/m	WTO-70	26	23	56		M
2	OUTER C.V.JOINT	TOYOTA	Tacoma N/m Tundra	WTO-56	30	34	69		I
3	OUTER C.V.JOINT	TOYOTA	RAV 4/Highlander	WTO-85	26	27	63	48	I
4	OUTER C.V.JOINT	TOYOTA	RAV 4/Highlander	WTO-138	26	27	63		I
5	OUTER C.V.JOINT	TOYOTA	Sienna 1999/2000	WTO-51	30	26	56	48	M
6	OUTER C.V.JOINT	TOYOTA	Camry 2.4	WTO-42	26	24	56	48	M
7	OUTER C.V.JOINT	TOYOTA	Camry V6	WTO-32	30	27	56	48	I
8	OUTER C.V.JOINT	TOYOTA	Camry 2.0	WTO-38	26	27	56	48	M
9	OUTER C.V.JOINT	TOYOTA	Camry 2.2/ Carina E	WTO-39	26	32	56		I
10	OUTER C.V.JOINT	TOYOTA	Avalon	WTO-64	30	36	61.5	48	I
11	OUTER C.V.JOINT	TOYOTA	Corolla 2005	WTO-26	26	29	56		O
12	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-185	24	28	56	48	O
13	OUTER C.V.JOINT	TOYOTA	Venza/Highlander	WTO-107	30	26	61.5	48	M
14	OUTER C.V.JOINT	TOYOTA	Rav 4	WTO-167	26	32	61		I
15	OUTER C.V.JOINT	TOYOTA	RAV 4 N/m	WTO-129	30	33	61		I
16	OUTER C.V.JOINT	TOYOTA	Starlet	WTO-8	23	23	56		I
17	OUTER C.V.JOINT	TOYOTA	Avensis N/m	WTO-87	26	23	58	48	I
18	OUTER C.V.JOINT	TOYOTA	Corolla	WTO-22	26	23	56		I
19	OUTER C.V.JOINT	TOYOTA	Corolla	WTO-73	26	24	58	48	I
20	OUTER C.V.JOINT	TOYOTA	RX-300	WTO-168	26	25	56	48	I
21	OUTER C.V.JOINT	TOYOTA	EE90 /RAV 4 0/M	WTO-5	26	24	56		I
22	OUTER C.V.JOINT	TOYOTA	Avlon	WTO-20	30	34	56	48	I
23	OUTER C.V.JOINT	TOYOTA	Corolla 2010	WTO-132	26	32	58	48	I
24	OUTER C.V.JOINT	TOYOTA	Rx-330	WTO-130	30	34	61.5	48	M
25	OUTER C.V.JOINT	TOYOTA	Hilux 2.7	WTO-63	30	29	72.5		M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	OUTER C.V.JOINT	TOYOTA	Sienna 2005	WTO-45	30	27	63.4	48	M
27	OUTER C.V.JOINT	TOYOTA	Corolla 2005	WTO-49	26	29	55.2	48	M
28	OUTER C.V.JOINT	TOYOTA	Camry 2.7	WTO-55	26	24	61.5	48	M
29	OUTER C.V.JOINT	TOYOTA	Camry 2012	WTO-133	26	33	69.4	48	I
30	OUTER C.V.JOINT	TOYOTA	Sienna 2010/Avalon	WTO-164	30	32	61	48	M
31	OUTER C.V.JOINT	TOYOTA	4 Runner	WTO-166	30	28	70		M
32	OUTER C.V.JOINT	TOYOTA	Prado 2005/Gx470	WTO-62	30	30	70		I
33	OUTER C.V.JOINT	TOYOTA	4 Runner	WTO-172	30	28	70		I
34	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-93	24	26	58		I
35	OUTER C.V.JOINT	TOYOTA	Sequoi a/Tundra L/m	WTO-171	36	30	78		I
36	OUTER C.V.JOINT	TOYOTA	ES-300	WTO-127	26	26	56	48	M
37	OUTER C.V.JOINT	TOYOTA	Corolla 2008	WTO-58	26	30	58	48	I
38	OUTER C.V.JOINT	TOYOTA	Gx460 /Prado	WTO-165	30	36	70		I
39	OUTER C.V.JOINT	TOYOTA	Lexus	WTO-173	30	32	56	48	I
40	OUTER C.V.JOINT	TOYOTA	Toyota hilux 2019,2020	WTO-188	30	29	70		M
41	OUTER C.V.JOINT	TOYOTA	4 Runner 05/Prado O/m	WTO-69	30	27	69		I
42	OUTER C.V.JOINT	TOYOTA	Carmy 2.7	WTO-115	26	26	61.5	48	M
43	OUTER C.V.JOINT	TOYOTA	Corolla	WTO-116	26	23	61		I
44	OUTER C.V.JOINT	TOYOTA	Rav 4 L/M	WTO-169	30	27	63		I
45	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-134	26	19	55.5		I
46	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-135	26	20	55.5		M
47	OUTER C.V.JOINT	TOYOTA	YARIS	WTO-43	26	22	56		I
48	OUTER C.V.JOINT	SUZUKI	Fronte	WSK-9	23	19	49		M
49	OUTER C.V.JOINT	SUZUKI	Grand Victara	WSK-23	26	29	48		I
50	OUTER C.V.JOINT	SUZUKI	Baleno	WSK-7	25	29	49		I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
51	OUTER C.V.JOINT	SUZUKI	Alto	WSK-20	23	18	44		M
52	OUTER C.V.JOINT	SUZUKI	Alto	WSK-39	23	18	49		M
53	OUTER C.V.JOINT	SUZUKI	Actors	WSK-6	25	21	49		M
54	OUTER C.V.JOINT	SUZUKI	Swift	WSK-40	28	22	58		M
55	OUTER C.V.JOINT	SUZUKI	VICTARA	WSK-30	26	30	48		M
56	OUTER C.V.JOINT	NISSAN	Sunny 1.6	WNI-10	25	23	55		I
57	OUTER C.V.JOINT	NISSAN	Rouge	WNI-64	29	35	56		I
58	OUTER C.V.JOINT	NISSAN	Sunny 1.4	WNI-12	25	22	52.2		M
59	OUTER C.V.JOINT	NISSAN	Blue bird 2.0/Premira small	WNI-5	27	23	56		M
60	OUTER C.V.JOINT	NISSAN	Premira 1990/1996	WNI-7	27	22	56		I
61	OUTER C.V.JOINT	NISSAN	Juke/Altima	WNI-73	29	24	56		M
62	OUTER C.V.JOINT	NISSAN	Qashqai	WNI-82	29	33	56		I
63	OUTER C.V.JOINT	NISSAN	Altima L/m	WNI-61	27	35	55	42	I
64	OUTER C.V.JOINT	MAZDA	Santafe O/m	WMI-51	27	34	60	47	I
65	OUTER C.V.JOINT	MAZDA	Outlander/Carisma	WMI-76	25	29	57	43	I
66	OUTER C.V.JOINT	MAZDA	Outlander	WMI-44	25	29	54	43	O
67	OUTER C.V.JOINT	MAZDA	Spacewagon N/m	WMI-52	25	32	54		I
68	OUTER C.V.JOINT	MAZDA	Lancer	WMI-68	28	33	59.5		I
69	OUTER C.V.JOINT	MAZDA	L200 N/m	WMI-15	30	35	69	47	I
70	OUTER C.V.JOINT	MAZDA	Pajero N/m	WMI-60	30	33	66	50	I
71	OUTER C.V.JOINT	MAZDA	Outlander	WMI-54	25	33	54	43	I
72	OUTER C.V.JOINT	MAZDA	L200 L/M	WMI-59	30	36	68	50	I
73	OUTER C.V.JOINT	MAZDA	Outlander 2012	WHY-79	28	35	59.5		I
74	OUTER C.V.JOINT	MAZDA	Outlander	WMI-58	28	37	59.5		I
75	OUTER C.V.JOINT	MAZDA	626 Boot	WMZ-18	28	23	56		I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
76	OUTER C.V.JOINT	MAZDA	MAZDA	WMZ-9	26	22	56		I
77	OUTER C.V.JOINT	MAZDA	MPV	WMZ-61	28	35	56	44	I
78	OUTER C.V.JOINT	KIA	Sportage	WHY-69	27	24	60	44	M
79	OUTER C.V.JOINT	KIA	Carnival O/m	WHY-82	28	24	56	46	M
80	OUTER C.V.JOINT	KIA	Cerato	WHY-9	27	23	60	47	M
81	OUTER C.V.JOINT	KIA	Carnival	WKA-9	28	25	56	54	M
82	OUTER C.V.JOINT	KIA	Carnival	WMZ-46	28	26	56	54	M
83	OUTER C.V.JOINT	HYUNDAI	Santafe 2008	WHY-2	30	36	73	52	I
84	OUTER C.V.JOINT	HYUNDAI	Santafe	WHY-63	30	25	56	52	M
85	OUTER C.V.JOINT	HYUNDAI	Tucson	WHY-29	27	23	62	48	M
86	OUTER C.V.JOINT	HYUNDAI	Sonata	WHY-45	27	26	62	48	M
87	OUTER C.V.JOINT	HYUNDAI	Elentra 2008	WHY-49	27	22	60	46	M
88	OUTER C.V.JOINT	HYUNDAI	Elentra	WHY-67	27	24	60	46	M
89	OUTER C.V.JOINT	HYUNDAI	Sonata	WMI-74	27	33	62	43	I
90	OUTER C.V.JOINT	HYUNDAI	Santafe	WHY-78	30	26	65	48	M
91	OUTER C.V.JOINT	HYUNDAI	Elentra 2008	WHY-25	27	30	60	44	M
92	OUTER C.V.JOINT	HYUNDAI	Tucson	WHY-14	27	25	62.2	48	M
93	OUTER C.V.JOINT	HYUNDAI	Sonata	WHY-20	27	25	60	47	M
94	OUTER C.V.JOINT	HYUNDAI	ATOS	WHY-22	25	20	50		I
95	OUTER C.V.JOINT	HYUNDAI	Santafe	WHY-62	30	35	73	52	M
96	OUTER C.V.JOINT	HYUNDAI	Accent	WMI-2	25	22	50	29	M
97	OUTER C.V.JOINT	HYUNDAI	Sonata 2011	WHY-76	30	33	56	52	M
98	OUTER C.V.JOINT	HYUNDAI	IX35/TUCSON	WHY-26	27	24	62	48	M
99	OUTER C.V.JOINT	HYUNDAI	Santafe O/m	WHY-17	27	26	60	47	M
100	OUTER C.V.JOINT	HONDA	EOO /Accord 2003	WHO-44	26	30	63		M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
101	OUTER C.V.JOINT	HONDA	CROSSTOUR	WHO-53	30	34	68		M
102	OUTER C.V.JOINT	HONDA	Accord 2003 V.6	WHO-42	28	32	63		M
103	OUTER C.V.JOINT	HONDA	Accord 2008	WHO-4	30	32	68		M
104	OUTER C.V.JOINT	HONDA	Pilot 2003/Oddessy	WHO-9	28	35	64		I
105	OUTER C.V.JOINT	HONDA	Pilot 2005 2009	WHO-18	30	36	64		I
106	OUTER C.V.JOINT	HONDA	90 Accord	WHO-15	28	32	60	50	M
107	OUTER C.V.JOINT	HONDA	Pilot 2005	WHO-2	30	35	68	44	I
108	OUTER C.V.JOINT	HONDA	CIVIC 2006	WHO-5	26	22	58		M
109	OUTER C.V.JOINT	FORD	Focaus 2008	WFD-13	25	23	53.4		M
110	OUTER C.V.JOINT	FORD	CB8	WFD-27	27	24	56		M
111	OUTER C.V.JOINT	FORD	Ranger 2002	WMZ-36	26	25	61		M
112	OUTER C.V.JOINT	FORD	FOCUS	WFD-22	25	22	53.3		M
113	OUTER C.V.JOINT	FORD	Ranger 2011	WFD-23	28	26	60.6		I
114	OUTER C.V.JOINT	FORD	Ford edge 08/09	WFD-24	31	36	64.5	45	I

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	INNER C.V.JOINT	VOLKSWAGEN	GOLF II/GOLF III/POLO 6V/JETTA/PASSAT	NVW-11		33			
2	INNER C.V.JOINT	VOLKSWAGEN	TRANSPORTER II/III/MICROBUS AUDI 1.8/2.0 80/90	NVW-4		33			
3	OUTER C.V.JOINT	VOLKSWAGEN	GOLF/JETTA MK2/3 1.8/POLO PLAYA 95-09	WVW-9	22	30	51		I
4	OUTER C.V.JOINT	VOLKSWAGEN	GOLF 1 CADDY 1/JETTA MK1/2	WVW-2	22	30	50		I
5	OUTER C.V.JOINT	VOLKSWAGEN	POLO 1.6 1.4/1.6 2004-ON HEAD 86	WAD-23	36	30	50.8		I
6	OUTER C.V.JOINT	VOLKSWAGEN	POLO 9N/AUDI A1/GOLF IV 1.9TDi	WAD-22	36	30	50.8		I
7	OUTER C.V.JOINT	VOLKSWAGEN	A3/GOLF/JET IV/IBIZA/POLO 1.9TDi	WAD-21	36	27	50.8		I
8	INNER C.V.JOINT	VOLKSWAGEN	ALFA/AUDI/MICRO/CARAV SYNCHRO/PASSAT	NVW-15		28			
9	INNER C.V.JOINT	TOYOTA	FORTUNER 4x4 HILUX VIGO	NT0-30	30	29	47		
10	INNER C.V.JOINT	TOYOTA	TAZZ/COROLLA 4A-F/4AG-FE	NT0-2	23	23	34		
11	OUTER C.V.JOINT	TOYOTA	AURIS 1RZ-FE	WTO-116	26	23	61		I
12	OUTER C.V.JOINT	TOYOTA	COROLLA W/CUTAWAY/ COROLLA(E12)	WTO-105	26	23	58	48	M
13	OUTER C.V.JOINT	TOYOTA	TAZZ/COROLLA	WTO-97	26	23	56		M
14	OUTER C.V.JOINT	TOYOTA	FORTUNER 4x4 HILUX VIGO	WTO-63	30	29	72.5		M
15	OUTER C.V.JOINT	TOYOTA	CAMRY 200/220 92-	WTO-37	26	27	56		M
16	OUTER C.V.JOINT	TOYOTA	CAMRY 90-98	WTO-35	26	27	56		I
17	OUTER C.V.JOINT	TOYOTA	COR/CONQ	WTO-3	26	24	56		I
18	OUTER C.V.JOINT	TOYOTA	TAZZ/COROLLA 2E/CONQ 1.3/1.6	WTO-1	26	23	56		I
19	OUTER C.V.JOINT	TOYOTA	COROLLA 1.6 20V RSI/RXI 96-02	WTO-15	26	30	56		I
20	OUTER C.V.JOINT	TOYOTA	COROLLA 1.6 20V RSI/RXI 96-02	WTO-66	26	25	58	48	M
21	OUTER C.V.JOINT	TOYOTA	YARIS 1.0/1.3 05-	WTO-113	26	22	55.5		I
22	OUTER C.V.JOINT	SUBARU	IMPREZA/LEGACY 94-98	WSB-4	27	30	56		M
23	OUTER C.V.JOINT	RENAULT	CLIO I/II 98-	WRN-4	21	25	56.2		O
24	OUTER C.V.JOINT	RENAULT	CLIO III/LOGAN/MEGANE II/MODUS 03-	WRN-14	23	30	49		I
25	INNER C.V.JOINT	OPEL	ASTRA F/KADETTE D/E	NOP-10	22	22	35		O

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	OUTER C.V.JOINT	OPEL	KADETT/ASCONA (SMALL HEAD) 1300/ASTRA/CORSA	WOP-4	22	22	52		O
27	OUTER C.V.JOINT	OPEL	ASTRA F/VECTRAA	WOP-2	22	22	52	29	O
28	OUTER C.V.JOINT	NISSAN	SENTRA 160 92-/NISSAN ALMERA 1.6 GA16DE	WNI-17	25	23	55		I
29	OUTER C.V.JOINT	NISSAN	PULSAR 1.3/1.4/1.5 80-87	WNI-1	24	22	52		M
30	OUTER C.V.JOINT	NISSAN	ALMERA/PRIMERA 1.6	WNI-8	27	22	56	44	I
31	OUTER C.V.JOINT	NISSAN	SENTRA 1.6 87-92	WNI-22	25	23	52.2		I
32	OUTER C.V.JOINT	NISSAN	SENTRA/SABRE 2.0 92-02	WNI-35	25	25	55		I
33	OUTER C.V.JOINT	MAZDA	323 13/15	WMZ-1	24	22	52		M
34	OUTER C.V.JOINT	MAZDA	ETUDE/ASTINA 180 95-	WMZ-12	26	30	56		I
35	OUTER C.V.JOINT	KIA	PICANTO 1.1 04-11	WMZ-24	24	20	52		M
36	OUTER C.V.JOINT	KIA	RIO I 00-05	WMZ-65	24	21	52		M
37	OUTER C.V.JOINT	HYUNDAI	EXCEL/TREDIA	WMI-1	25	22	50		M
38	OUTER C.V.JOINT	HYUNDAI	ACCENT/GETZ G4EA/G4ED	WHY-5	25	22	50		M
39	OUTER C.V.JOINT	HYUNDAI	ELANTRA J2 95-01	WMI-12	25	23	50	29	M
40	OUTER C.V.JOINT	HYUNDAI	ELANTRA J1/J2/J3 93-06	WMI-13	25	23	50		M
41	OUTER C.V.JOINT	HYUNDAI	ELANTRA 1.6/1.8 93-	WMI-38	25	30	50	29	M
42	INNER C.V.JOINT	HYUNDAI	ACCENT 1.3/1.5 97-00	NMI-1	25	22	35		
43	OUTER C.V.JOINT	HONDA	BALLADE 1300 MKI 82-85	WHO-8	23	30	45		M
44	OUTER C.V.JOINT	HONDA	BALLADE 180E/CIVIC 150i 94-	WHO-16	26	32	55		M
45	OUTER C.V.JOINT	HONDA	BALLADE/CIVIC SO4/SR4 92-00	WHO-17	26	32	55	50	M
46	OUTER C.V.JOINT	HONDA	CITY/JAZZ 1.2	WHO-19	23	27	45		M
47	OUTER C.V.JOINT	HONDA	BALLADE/CIVIC SO4/SR4 92-00	WHO-20	26	30	55		M
48	INNER C.V.JOINT	HONDA	BALLADE 160i SH4 89-92 LH	NHO-2	27	32	40		
49	INNER C.V.JOINT	HONDA	BALLADE 160i SH4 89-92 RH	NHO-6	27	32	40		
50	INNER C.V.JOINT	HONDA	BALLADE 160i SH4/ PRELUDE/ODYSSEY LH	NHO-9	27	32	40		

SOUTH AFRICA

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
51	OUTER C.V.JOINT	FORD	RANGER/DRIFTER 4X4 00-07	WMZ-36	26	25	61		M
52	INNER C.V.JOINT	FORD	LASER/MAZDA 323	NMZ-6	24	22	35		
53	OUTER C.V.JOINT	FORD	MET/LASER MAZ (THICK SHAFT)	WMZ-22	24	23	52		M
54	OUTER C.V.JOINT	FORD	ESCORT/BANTAM	WFD-2	23	22	55		O
55	OUTER C.V.JOINT	FORD	ESCORT 1.4/1.6/1.8 95-/FIESTA III IV	WFD-1	25	22	56.5		O
56	OUTER C.V.JOINT	FORD	MONDEO MKI ALL 95-99	WFD-6	27	30	57	44	I
57	INNER C.V.JOINT	FORD	BANTAM ROCAM/FIESTA/IKON/SOHO	NFD-6	23	21	40		
58	OUTER C.V.JOINT	FIAT	UNO 1100/ 1400	WFI-2	20	20	43		O
59	OUTER C.V.JOINT	FIAT	PALIO/SIENA I/II 1.6 00-08	WFI-5	22	22	47		O
60	OUTER C.V.JOINT	FIAT	PALIO/SIENA 1.6/STRADA ALL 00-10	WFI-6	22	22	52		O
61	OUTER C.V.JOINT	DAIHATSU	CHARADE 1.0 83-85	WDA-5	24	19	40		M
62	OUTER C.V.JOINT	DAEWOO	ESPERO 1.8/2.0/LANOS 1.6/ NUBIRA 1.6/2.0	WGM-8	33	29	52		O
63	OUTER C.V.JOINT	DAEWOO	CIELO 1.5/LANOS/NUBIRA 1.6 96-	WOP-10	22	29	52		O
64	OUTER C.V.JOINT	CHEVROLET	CRUZE/ OPEL CORSA 06-	WOP-15	22	23	52	29	M
65	OUTER C.V.JOINT	AUDI	A4 1.8T/2.0 B6 01-	WAD-26	38	33	59.5	45	M

SOUTH AMERICA

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
1	OUTER C.V.JOINT	VOLKSWAGEN	Vw Gol Parati Saveiro Polo Jetta	WVW-2	22	30	50		I
2	OUTER C.V.JOINT	VOLKSWAGEN	Volkswagen Gol 1.8 04-08	WVW-4	22	30	50		I
3	INNER C.V.JOINT	TOYOTA	COROLLA BABY CAMRY 1.6 89-93	NT0-2	23	23	34		
4	INNER C.V.JOINT	TOYOTA	Toyota Starlet	NT0-12	23	23	34		
5	INNER C.V.JOINT	TOYOTA	YARIS SPORT BELTA 1.5 06-12	NT0-9	23	22	34		
6	INNER C.V.JOINT	TOYOTA	Kavak 4.0 Fortuner 4runner	NT0-17	30	29	47		
7	INNER C.V.JOINT	TOYOTA	Toyota Camry 07-11	NT0-24	24	26	50		
8	OUTER C.V.JOINT	TOYOTA	Corolla Baby Camry Araya Sky Avila 1,6	WTO-21	26	23	56		I
9	OUTER C.V.JOINT	TOYOTA	Toyota Corolla 1.8 24x26	WTO-3	26	24	56		I
10	OUTER C.V.JOINT	TOYOTA	Toyota Starlet 92-98	WTO-8	23	23	56		I
11	OUTER C.V.JOINT	TOYOTA	Toyota Corolla Sensacion 1.6	WTO-104	26	23	58		M
12	OUTER C.V.JOINT	TOYOTA	Toyota Camry / Celica 4cil	WTO-10	26	25	56	48	I
13	OUTER C.V.JOINT	TOYOTA	Toyota Camry 2.2	WTO-33	26	27	56		I
14	OUTER C.V.JOINT	TOYOTA	Toyota Yaris 1.3 Sincronico 1999-2005	WTO-68	24	22	56	48	I
15	OUTER C.V.JOINT	TOYOTA	Toyota Yaris Sol 1.3 Automatico	WTO-74	24	23	58		I
16	OUTER C.V.JOINT	TOYOTA	Toyota Prado-meru 96-09	WTO-56	30	34	69		I
17	OUTER C.V.JOINT	TOYOTA	Toyota 4runner 03-08	WTO-62	30	30	70		I
18	OUTER C.V.JOINT	TOYOTA	Toyota Hilux Kavak Fortuner 4runner 6 Cil	WTO-63	30	29	72.5		M
19	OUTER C.V.JOINT	TOYOTA	Toyota Terios Bego 1.5	WTO-199	24	22	52		M
20	OUTER C.V.JOINT	RENAULT	Renault Logan Clio Symbol Reten Interno	WRN-2	21	21	55.5		M
21	OUTER C.V.JOINT	MITSUBISHI	Mitsubishi Lancer 1.3 98	WMI-27	25	22	54		I
22	OUTER C.V.JOINT	MITSUBISHI	LANCER CK4 CK5 1.6 1.8 99-01 ECLIPSE 1.8 R I	WMI-34	25	23	54		I
23	OUTER C.V.JOINT	MITSUBISHI	Mitsubishi Mx Mf	WMI-11	25	23	50	47	M
24	OUTER C.V.JOINT	MITSUBISHI	Mitsubishi Galant Mx Mf	WMI-77	25	24	50	44	M
25	OUTER C.V.JOINT	MAZDA	Mazda Bt50 4x4	WMZ-37	26	25	61	44	M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
26	OUTER C.V.JOINT	MAZDA	Mazda 3 2004 Al 2005 Tipo Tornillo	WMZ-63	36	22	55.2		I
27	OUTER C.V.JOINT	MAZDA	Mazda 626 Sincrónico	WMZ-49	28	30	56		I
28	OUTER C.V.JOINT	MAZDA	MAZDA 6 04 UP CN ABS 44DIENTES	WMZ-44	28	32	62	44	I
29	OUTER C.V.JOINT	JEEP	Dodge Caliber Jeep Compass 8 Bolas	WCH-11	28	33	59.5		I
30	INNER C.V.JOINT	HYUNDAI	Accent Excel Pico Corto	NMI-19	25	22	35		
31	INNER C.V.JOINT	HYUNDAI	Elantra 2,0	NMI-3	25	23	35		
32	INNER C.V.JOINT	HYUNDAI	Lancer Touring Elantra	NMI-24	25	30	35		
33	OUTER C.V.JOINT	HYUNDAI	Hyundai Elantra Sincronico	WMI-8	25	25	50		M
34	OUTER C.V.JOINT	HYUNDAI	Hyundai Elantra 2.0	WMI-77	25	24	50	44	M
35	OUTER C.V.JOINT	HYUNDAI	Hyundai Elantra 1.6, Lancer Touring	WMI-48	25	30	50	44	M
36	OUTER C.V.JOINT	HYUNDAI	Mitsubishi Mx Mf Hyundai Elantra 1.8	WMI-10	25	23	50		M
37	OUTER C.V.JOINT	HYUNDAI	Hyundai Tucson Automática 25x27	WHY-37	27	25	62	44	M
38	OUTER C.V.JOINT	HYUNDAI	Hyundai Tucson 23x27 C/abS	WHY-31	27	23	62.3	44	M
39	OUTER C.V.JOINT	HONDA	Honda Civic 98-00 Con Abs 50dt R-I	WHO-33	26	28	55		M
40	OUTER C.V.JOINT	HONDA	CIVIC EMOTION 07-10 RETEN INTERNO	WHO-5	26	22	58	48	M
41	OUTER C.V.JOINT	HONDA	CIVIC 98 00 CON ABS	WHO-29	26	23	60	48	M
42	OUTER C.V.JOINT	HONDA	Honda Accord 1990 2002	WHO-15	28	32	60	50	M
43	OUTER C.V.JOINT	Ford	Ford Fiesta Power Max Move Ka 1.6	WFD-3	25	21	53.2		M
44	OUTER C.V.JOINT	Ford	Ford Ecosport 2.0 4x2 Focus 00-09	WFD-13	25	23	53.4	50	M
45	OUTER C.V.JOINT	Ford	Ford Laser 2000	WMZ-40	26	29	56	50	I
46	OUTER C.V.JOINT	Ford	Ford Laser 1.6 1.8 Mazda Allegro	WMZ-38	26	28	56		I
47	OUTER C.V.JOINT	Ford	Turpial Festiva Reten Interno	WMZ-24	24	20	52		M
48	OUTER C.V.JOINT	Ford	Ford Festiva Autom Desde 2000	WMZ-29	24	21	52		I
49	OUTER C.V.JOINT	Ford	Ford Festiva 1.3 Aut	WMZ-26	24	19	52		M
50	OUTER C.V.JOINT	FIAT	Fiat Palio 1.8 /siena / Adventure	WFI-21	25	24	51		M

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION				
					A	B	C	ABS	GROOVE
51	OUTER C.V.JOINT	FIAT	Fiat Palio, Siena 1.6	WFI-6	22	22	52		O
52	OUTER C.V.JOINT	FIAT	Uno Fire Palio Siena 1.3 1.4	WFI-10	22	20	52		O
53	OUTER C.V.JOINT	FIAT	Corsa 1.3 Fiat Palio 1.4 Siena	WOP-6	22	28	52.2		O
54	INNER C.V.JOINT	Chevrolet	Chevrolet Corsa	NOP-11	22	28	35		O
55	INNER C.V.JOINT	Chevrolet	Chevrolet Spark Matiz Tico Qq	NOP-1	22	19	35		
56	INNER C.V.JOINT	Chevrolet	Chevrolet Aveo Sincronico	NOP-8	34	22	35		O
57	OUTER C.V.JOINT	Chevrolet	CORSA 1.6 00-UP (22 X 30)	WOP-30	22	30	52		O
58	OUTER C.V.JOINT	Chevrolet	Aveo 1.6 22x23 05-07 RETEN INT CON ABS	WOP-41	22	23	52	47	M
59	OUTER C.V.JOINT	Chevrolet	Aveo Abs Lt-ls 22x22 RET EXT	WOP-38	22	22	51.9	47	O
60	OUTER C.V.JOINT	Chevrolet	Aveo Lt 11-12 22x22 R Interno Con Abs	WOP-1	22	22	52		O
61	OUTER C.V.JOINT	Chevrolet	Chevrolet Wagon R 23x19	WSK-18	23	19	49		M
62	OUTER C.V.JOINT	Chevrolet	Chevrolet Spark	WOP-19	23	19	46		O
63	OUTER C.V.JOINT	Chevrolet	Chevrolet Cruze ORLANDO	WGM-18	33	31	59		M
64	OUTER C.V.JOINT	Chevrolet	Chevrolet Luv Dmax 3.5 4x4	WIZ-2	17	33	53		I
65	OUTER C.V.JOINT	Chevrolet	Chevrolet Optra 23x33	WOP-24	33	22	52	47	O
66	OUTER C.V.JOINT	Chevrolet	Chevrolet Optra Desing Limited Advance	WGM-5	33	29	52	47	O
67	OUTER C.V.JOINT	Chevrolet	Chevrolet Swift 1.6	WSK-22	23	22	49		M
68	OUTER C.V.JOINT	CHERY	Arauca X1 Qq6	WCY-6	23	21	51	43	M

DRIVE SHAFT

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
1	DRIVE SHAFT	TOYOTA	HILUX VIGO 06-UP RH/LH	GF-DSTO-1	30	30	629	
2	DRIVE SHAFT	TOYOTA	PRADO 03-UP RH/LH	GF-DSTO-2	30	30	647	
3	DRIVE SHAFT	TOYOTA	L/C 07-UP RH/LH	GF-DSTO-3	36	34	665	
4	DRIVE SHAFT	TOYOTA	L/C 99-UP RH/LH	GF-DSTO-4	30	30	707	
5	DRIVE SHAFT	MITSUBISHI	ASSY-L200 PICK UP 06-UP	GF-DSMI-1	30	28	593	47
6	DRIVE SHAFT	MITSUBISHI	ASSY-L200 PICK UP 06-UP	GF-DSMI-2	30		491	47
7	DRIVE SHAFT	KIA	KIA PRIDE 20T - Short/ABS	GF-DSKA-1	24	22	880	48
8	DRIVE SHAFT	KIA	KIA PRIDE 20T - Long/ABS	GF-DSKA-2	24	22	521	48
9	DRIVE SHAFT	HONDA	ACCORD SM4 AT 89~93 RH SHORT	GF-DSHO-1	28	27	600	50
10	DRIVE SHAFT	HONDA	ACCORD SM4 AT 89~93 LH LONG	GF-DSHO-2	28	27	958	50
11	DRIVE SHAFT	HONDA	ACCORD SM4 MT 89~93 RH SHORT	GF-DSHO-3	28	27	600	50
12	DRIVE SHAFT	HONDA	ACCORD SM4 MT 89~93 LH LONG	GF-DSHO-4	28	27	597	50
13	DRIVE SHAFT	HONDA	CIVIC SR4/SO4 92~95 RH SHORT 96~00	GF-DSHO-5	26	25	619	50
14	DRIVE SHAFT	HONDA	CIVIC SR4/SO4 92~95 LH LONG	GF-DSHO-6	26	25	901	50
15	DRIVE SHAFT	HONDA	CIVIC SR4/SO4 92~95 B16A VTEC RH SHORT 96~00	GF-DSHO-7	26	27	596	50
16	DRIVE SHAFT	HONDA	CIVIC SR4/SO4 92~95 B16A VTEC LH LONG	GF-DSHO-8	26	27	566.5	50
17	DRIVE SHAFT	HONDA	ACCORD SV4 AT 94~97 RH SHORT	GF-DSHO-9	28	27	618	50
18	DRIVE SHAFT	HONDA	ACCORD SV4 AT 94~97 LH LONG	GF-DSHO-10	28	27	982	50
19	DRIVE SHAFT	HONDA	ACCORD SV4 MT 94~97 RH SHORT	GF-DSHO-11	28	27	618	50
20	DRIVE SHAFT	HONDA	ACCORD SV4 MT 94~97 LH LONG	GF-DSHO-12	28	27	615	50
21	DRIVE SHAFT	HONDA	CRV S10 AT 2/4 WD 95~01 4LUG WHEEL RH SHORT	GF-DSHO-13	26	27	618.5	
22	DRIVE SHAFT	HONDA	CRV S10 AT 2/4 WD 95~01 4LUG WHEEL LH LONG	GF-DSHO-14	26	27	594	
23	DRIVE SHAFT	HONDA	CITY SX8 AT/MT 96~03 RH SHORT	GF-DSHO-15	26	25	599	
24	DRIVE SHAFT	HONDA	CITY SX8 AT/MT 96~03 LH LONG	GF-DSHO-16	26	25	903	
25	DRIVE SHAFT	HONDA	ACCORD S84/S86 98~02 RH SHORT	GF-DSHO-17	28	27	631	

DRIVE SHAFT

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
26	DRIVE SHAFT	HONDA	ACCORD S84/S86 98~02 LH LONG	GF-DSHO-18	28	27	1005.5	
27	DRIVE SHAFT	HONDA	CIVIC S5A 1.7 00~05 RH LONG	GF-DSHO-19	26	25	610	50
28	DRIVE SHAFT	HONDA	CIVIC S5A 1.7 00~05 LH SHORT	GF-DSHO-20	26	25	906	50
29	DRIVE SHAFT	HONDA	CIVIC S5G 2.0 00~05 RH LONG	GF-DSHO-21	26	27	905	50
30	DRIVE SHAFT	HONDA	CIVIC S5G 2.0 00~05 LH SHORT	GF-DSHO-22	26	27	615	50
31	DRIVE SHAFT	HONDA	STREAM S7A 1.7(S5A 1.7 SAME) RH LONG	GF-DSHO-23	26	25	610	50
32	DRIVE SHAFT	HONDA	STREAM S7A 1.7(S5A 1.7 SAME) LH SHORT	GF-DSHO-24	26	25	906	50
33	DRIVE SHAFT	HONDA	STREAM S7A 2.0(S5G 2.0 SAME) RH LONG	GF-DSHO-25	26	27	905	50
34	DRIVE SHAFT	HONDA	STREAM S7A 2.0(S5G 2.0 SAME) LH SHORT	GF-DSHO-26	26	27	615	50
35	DRIVE SHAFT	HONDA	CRV S9A 02~06 RH LONG	GF-DSHO-27	28	27	618	
36	DRIVE SHAFT	HONDA	CRV S9A 02~06 LH SHORT	GF-DSHO-28	28	27	663	
37	DRIVE SHAFT	HONDA	ACCORD SDA 2.0/2.4 03~07 RH LONG	GF-DSHO-29	26	27	961	
38	DRIVE SHAFT	HONDA	ACCORD SDA 2.0/2.4 03~07 LH SHORT	GF-DSHO-30	26	27	661	
39	DRIVE SHAFT	HONDA	CITY SEL/JAZZ SAA 03~07 RH LONG	GF-DSHO-31	26	25	899	
40	DRIVE SHAFT	HONDA	CITY SEL/JAZZ SAA 03~07 LH SHORT	GF-DSHO-32	26	25	612	
41	DRIVE SHAFT	HONDA	CIVIC SNA1.8 06~11 RH LONG	GF-DSHO-33	26	25	913	
42	DRIVE SHAFT	HONDA	CIVIC SNA1.8 06~11 LH SHORT	GF-DSHO-34	26	25	621	
43	DRIVE SHAFT	HONDA	CIVIC SNB2.0 06~11 RH LONG	GF-DSHO-35	26	27	585	
44	DRIVE SHAFT	HONDA	CIVIC SNB2.0 06~11 LH SHORT	GF-DSHO-36	26	27	620	
45	DRIVE SHAFT	HONDA	STREAM SMA1.8(SNA1.8 SAME) RH LONG	GF-DSHO-37	26	25	913	
46	DRIVE SHAFT	HONDA	STREAM SMA1.8(SNA1.8 SAME) LH SHORT	GF-DSHO-38	26	25	621	
47	DRIVE SHAFT	HONDA	STREAM SMA2.0(SNB2.0 SAME) RH LONG	GF-DSHO-39	26	27	585	
48	DRIVE SHAFT	HONDA	STREAM SMA2.0(SNB2.0 SAME) LH SHORT	GF-DSHO-40	26	27	620	
49	DRIVE SHAFT	HONDA	CIVIC TRO 1.8 11~16(SNA1.8 SAME) RH LONG	GF-DSHO-41	26	25	913	
50	DRIVE SHAFT	HONDA	CIVIC TRO 1.8 11~16(SNA1.8 SAME) LH SHORT	GF-DSHO-42	26	25	621	

DRIVE SHAFT

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
51	DRIVE SHAFT	HONDA	CIVIC TRO 2.0(SNB2.0 SAME) RH LONG	GF-DSHO-43	26	27	585	
52	DRIVE SHAFT	HONDA	CIVIC TRO 2.0(SNB2.0 SAME) LH SHORT	GF-DSHO-44	26	27	620	
53	DRIVE SHAFT	HYUNDAI	ATOS 1.0/1.1 97~10 AT RH LONG	GF-DSHY-1	25	22	844	38
54	DRIVE SHAFT	HYUNDAI	ATOS 1.0/1.1 97~10 AT LH SHORT	GF-DSHY-2	25	22	570	38
55	DRIVE SHAFT	HYUNDAI	ATOS 1.0/1.1 97~10 MT RH LONG	GF-DSHY-3	25	22	809	38
56	DRIVE SHAFT	HYUNDAI	ATOS 1.0/1.1 97~10 MT LH SHORT	GF-DSHY-4	25	22	596	38
57	DRIVE SHAFT	HYUNDAI	SONATA 5 EF 2.0 98~04 RH LONG	GF-DSHY-5	27	25	975	47
58	DRIVE SHAFT	HYUNDAI	SONATA 5 EF 2.0 98~04 LH SHORT	GF-DSHY-6	27	25	663.5	47
59	DRIVE SHAFT	HYUNDAI	SONATA 5 EF 2.4 98~04 RH LONG	GF-DSHY-7	27	27	974	47
60	DRIVE SHAFT	HYUNDAI	SONATA 5 EF 2.4 98~04 LH SHORT	GF-DSHY-8	27	27	659	47
61	DRIVE SHAFT	HYUNDAI	ACCENT LC / MC 99~05 AT 06~11 RH LONG	GF-DSHY-9	25	25	625	
62	DRIVE SHAFT	HYUNDAI	ACCENT LC / MC 99~05 AT 06~11 LH SHORT	GF-DSHY-10	25	25	915.5	
63	DRIVE SHAFT	HYUNDAI	ACCENT LC / MC 99~05 MT 06~11 RH LONG	GF-DSHY-11	25	22	926	
64	DRIVE SHAFT	HYUNDAI	ACCENT LC / MC 99~05 MT 06~11 LH SHORT	GF-DSHY-12	25	22	600	
65	DRIVE SHAFT	HYUNDAI	ELANTRA XD 1.6 00~11 RH LONG	GF-DSHY-13	25	25	939.5	44
66	DRIVE SHAFT	HYUNDAI	ELANTRA XD 1.6 00~11 LH SHORT	GF-DSHY-14	25	25	646	44
67	DRIVE SHAFT	HYUNDAI	ELANTRA XD 1.8 00~11 RH LONG	GF-DSHY-15	25	25	936	44
68	DRIVE SHAFT	HYUNDAI	ELANTRA XD 1.8 00~11 LH SHORT	GF-DSHY-16	25	25	651	44
69	DRIVE SHAFT	HYUNDAI	MATRIX 1.6 01~10(ELANTRA XD 1.6 SAME) RH LONG	GF-DSHY-17	25	25	939.5	44
70	DRIVE SHAFT	HYUNDAI	MATRIX 1.6 01~10(ELANTRA XD 1.6 SAME) LH SHORT	GF-DSHY-18	25	25	646	44
71	DRIVE SHAFT	HYUNDAI	MATRIX 1.8 01~10(ELANTRA XD 1.8 SAME) RH LONG	GF-DSHY-19	25	25	936	44
72	DRIVE SHAFT	HYUNDAI	MATRIX 1.8 01~10(ELANTRA XD 1.8 SAME) LH SHORT	GF-DSHY-20	25	25	651	44
73	DRIVE SHAFT	HYUNDAI	GETZ 1.3/1.4/1.6 02~11 AT (ACCENT LC AT SAME) RH LONG	GF-DSHY-21	25	25	915.5	
74	DRIVE SHAFT	HYUNDAI	GETZ 1.3/1.4/1.6 02~11 AT (ACCENT LC AT SAME) LH SHORT	GF-DSHY-22	26	27	566.5	
75	DRIVE SHAFT	HYUNDAI	GETZ 1.3/1.4/1.6 02~11 MT (ACCENT LC MT SAME) RH LONG	GF-DSHY-23	25	22	926	

DRIVE SHAFT

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
76	DRIVE SHAFT	HYUNDAI	GETZ 1.3/1.4/1.6 02~11 MT (ACCENT LC MT SAME) LH SHORT	GF-DSHY-24	25	22	600	
77	DRIVE SHAFT	KIA	KIA SPECTRA 00~09 RH LONG	GF-DSKA-3	28	28	574	47
78	DRIVE SHAFT	KIA	KIA SPECTRA 00~09 LH SHORT	GF-DSKA-4	28	24	635	46
79	DRIVE SHAFT	KIA	KIA OPTIMA MS 2.0 00~05 (SONATA 5 EF 2.0 SAME) RH LONG	GF-DSKA-5	27	25	975	47
80	DRIVE SHAFT	KIA	KIA OPTIMA MS 2.0 00~05 (SONATA 5 EF 2.0 SAME) LH SHORT	GF-DSKA-6	27	25	663.5	47
81	DRIVE SHAFT	KIA	KIA PICANTO SA 04~11 AT RH LONG	GF-DSKA-7	24	22	877	
82	DRIVE SHAFT	KIA	KIA PICANTO SA 04~11 AT LH SHORT	GF-DSKA-8	24	22	607	
83	DRIVE SHAFT	NAZA	NAZA RIA 00~10 RH LONG	GF-DSNAZA-1	28	28	657	54
84	DRIVE SHAFT	NAZA	NAZA RIA 00~10 LH SHORT	GF-DSNAZA-2	28	27	715	54
85	DRIVE SHAFT	NAZA	NAZA SURIA 04~11 AT (PICANTO SAAT SAME) RH LONG	GF-DSNAZA-3	24	22	877	
86	DRIVE SHAFT	NAZA	NAZA SURIA 04~11 AT (PICANTO SAAT SAME) LH SHORT	GF-DSNAZA-4	24	22	607	
87	DRIVE SHAFT	NAZA	NAZA CITRA 05~12 RH LONG	GF-DSNAZA-5	27	28	609	47
88	DRIVE SHAFT	NAZA	NAZA CITRA 05~12 LH SHORT	GF-DSNAZA-6	27	28	630.5	46
89	DRIVE SHAFT	NISSAN	SENTRA B13 AT 90~95 RH LONG	GF-DSNI-1	25	25	913	
90	DRIVE SHAFT	NISSAN	SENTRA B13 AT 90~95 LH SHORT	GF-DSNI-2	25	25	608	
91	DRIVE SHAFT	NISSAN	CEFIRO A32/33 V6 AT 94~01 (2.0/3.0CC) RH LONG	GF-DSNI-3	29	29	970.5	50
92	DRIVE SHAFT	NISSAN	CEFIRO A32/33 V6 AT 94~01 (2.0/3.0CC) LH SHORT	GF-DSNI-4	29	29	632	
93	DRIVE SHAFT	NISSAN	SENTRA B14 AT/MT 95~99 (1.6CC) RH LONG	GF-DSNI-5	25	25	913	
94	DRIVE SHAFT	NISSAN	SENTRA B14 AT/MT 95~99 (1.6CC) LH SHORT	GF-DSNI-6	25	25	622	
95	DRIVE SHAFT	NISSAN	SENTRA N16 AT 00~12 (1.5/1.6/1.8) RH LONG	GF-DSNI-7	25	25	628	42
96	DRIVE SHAFT	NISSAN	SENTRA N16 AT 00~12 (1.5/1.6/1.8) LH SHORT	GF-DSNI-8	25	25	925.5	42
97	DRIVE SHAFT	NISSAN	X-TRAIL T30 2.0 02~07 2.5 2.0/2.5 RH LONG	GF-DSNI-9	29	29	650	44
98	DRIVE SHAFT	NISSAN	X-TRAIL T30 2.0 02~07 2.5 2.0/2.5 RH LONG	GF-DSNI-10	29	29	620	44
99	DRIVE SHAFT	NISSAN	X-TRAIL T30 2.0 02~07 2.5 2.0/2.5 LH SHORT	GF-DSNI-11	29		552	44
100	DRIVE SHAFT	PERODUA	KANCIL 660/MANUAL LH SHORT	GF-DSPERODUA-1	24	23	600	

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
101	DRIVE SHAFT	PERODUA	KANCIL 660/MANUAL RH LONG	GF-DSPERODUA-2	24	23	746.5	
102	DRIVE SHAFT	PERODUA	KANCIL 850 AUTO LH SHORT	GF-DSPERODUA-3	24	23	567	
103	DRIVE SHAFT	PERODUA	KANCIL 850 AUTO RH LONG	GF-DSPERODUA-4	24	23	758	
104	DRIVE SHAFT	PERODUA	KEMBARA/KEMBARA DVVT LH SHORT	GF-DSPERODUA-5	24	23	540.5	
105	DRIVE SHAFT	PERODUA	KEMBARA/KEMBARA DVVT RH LONG	GF-DSPERODUA-6	24	23	849.5	
106	DRIVE SHAFT	PERODUA	KELISA/KENARI/VIVA LH SHORT	GF-DSPERODUA-7	24	23	584	
107	DRIVE SHAFT	PERODUA	KELISA/KENARI/VIVA RH LONG	GF-DSPERODUA-8	24	23	802	
108	DRIVE SHAFT	PERODUA	MYVI 1.0/1.3 LH SHORT	GF-DSPERODUA-9	24	23	657	
109	DRIVE SHAFT	PERODUA	MYVI 1.0/1.3 RH LONG	GF-DSPERODUA-10	24	23	878	
110	DRIVE SHAFT	PERODUA	ALZA LH SHORT	GF-DSPERODUA-11	26	23	672	
111	DRIVE SHAFT	PERODUA	ALZA RH LONG	GF-DSPERODUA-12	26	23	895	
112	DRIVE SHAFT	PERODUA	AXIA 1.0/BEZZA 1.0 LH SHORT	GF-DSPERODUA-13	24	23	912	
113	DRIVE SHAFT	PERODUA	AXIA 1.0/BEZZA 1.0 RH LONG	GF-DSPERODUA-14	24	23	570	
114	DRIVE SHAFT	PROTON	WIRA1.6/1.8/ARENA/PUTRA/SATRIA 1.6/1.8 LONG LH	GF-DSPROTON-1	25	25	942	
115	DRIVE SHAFT	PROTON	WIRA1.6/1.8/ARENA/PUTRA/SATRIA 1.6/1.8 SHORT RH	GF-DSPROTON-2	25	25	610	
116	DRIVE SHAFT	PROTON	WAJA1.6 (ABS)/GEN2 (ABS)/PERSONA (ABS)/SATRIA NEO (ABS) LONG RH	GF-DSPROTON-3	25	25	938.5	29
117	DRIVE SHAFT	PROTON	WAJA1.6 (ABS)/GEN2 (ABS)/PERSONA (ABS)/SATRIA NEO (ABS) SHORT LH	GF-DSPROTON-4	25	25	621	29
118	DRIVE SHAFT	PROTON	WIRA 1.3/1.5/SATRIA 1.3/1.5 SHORT RH	GF-DSPROTON-5	25	25	614	
119	DRIVE SHAFT	PROTON	WIRA 1.3/1.5/SATRIA 1.3/1.5 LONG LH	GF-DSPROTON-6	25	25	937	
120	DRIVE SHAFT	PROTON	SAGA/ISWARA SHORT RH	GF-DSPROTON-7	25	25	579	
121	DRIVE SHAFT	PROTON	SAGA/ISWARA LONG LH	GF-DSPROTON-8	25	25	911	
122	DRIVE SHAFT	PROTON	PERDANA SE (ABS)/PERDANA SE V6 LONG LH	GF-DSPROTON-9	25	25	955	43
123	DRIVE SHAFT	PROTON	PERDANA SE (ABS)/PERDANA SE V6 SHORT RH	GF-DSPROTON-10	25	25	656	43
124	DRIVE SHAFT	PROTON	WAJA1.6 CPS/GEN2 CPS/PERSONA CPS/ SATRIA NEO CPS LONG RH	GF-DSPROTON-11	25	27	646	
125	DRIVE SHAFT	PROTON	WAJA1.6 CPS/GEN2 CPS/PERSONA CPS/ SATRIA NEO CPS SHORT LH	GF-DSPROTON-12	25	27	955	

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
126	DRIVE SHAFT	PROTON	IRIZ 1.3 (MT) LONG RH	GF-DSPROTON-13	25	25	928.5	
127	DRIVE SHAFT	PROTON	IRIZ 1.3 (MT) SHORT LH	GF-DSPROTON-14	25	25	610	
128	DRIVE SHAFT	PROTON	SAVVY LONG RH	GF-DSPROTON-15	25	23	763.5	
129	DRIVE SHAFT	PROTON	SAVVY SHORT LH	GF-DSPROTON-16	25		643.5	
130	DRIVE SHAFT	PROTON	TIARA LONG RH	GF-DSPROTON-17	21	22	798	
131	DRIVE SHAFT	PROTON	TIARA SHORT LH	GF-DSPROTON-18	21	22	620	
132	DRIVE SHAFT	TOYOTA	SXV10 92~96/SXV20 97~01 RH LONG	GF-DSTO-5	26	20	930.5	
133	DRIVE SHAFT	TOYOTA	SXV10 92~96/SXV20 97~01 LH SHORT	GF-DSTO-6	26	20	679	
134	DRIVE SHAFT	TOYOTA	ACR30 2.4 2WD 00~05 RH LONG	GF-DSTO-7	26	24	961	48
135	DRIVE SHAFT	TOYOTA	ACR30 2.4 2WD 00~05 LH SHORT	GF-DSTO-8	26	24	662	48
136	DRIVE SHAFT	TOYOTA	MCR30 3.0 2WD 00~05 RH LONG	GF-DSTO-9	30	24	973	48
137	DRIVE SHAFT	TOYOTA	MCR30 3.0 2WD 00~05 LH SHORT	GF-DSTO-10	30	24	652	48
138	DRIVE SHAFT	TOYOTA	ZZE121 1.6 00~07 RH LONG	GF-DSTO-11	26	23	908	48
139	DRIVE SHAFT	TOYOTA	ZZE121 1.6 00~07 LH SHORT	GF-DSTO-12	26	23	636.5	48
140	DRIVE SHAFT	TOYOTA	ZZE122 1.8 00~07 RH LONG	GF-DSTO-13	26	20	910	
141	DRIVE SHAFT	TOYOTA	ZZE122 1.8 00~07 LH SHORT	GF-DSTO-14	26	20	638.5	
142	DRIVE SHAFT	TOYOTA	ANH10 2.4 2WD 02~07 (ACR30 SAME) RH LONG	GF-DSTO-15	26	24	961	48
143	DRIVE SHAFT	TOYOTA	ANH10 2.4 2WD 02~07 (ACR30 SAME) LH SHORT	GF-DSTO-16	26	24	662	48
144	DRIVE SHAFT	TOYOTA	MNH10 3.0 2WD 02~07 (MCR30 SAME) RH LONG	GF-DSTO-17	30	24	973	48
145	DRIVE SHAFT	TOYOTA	MNH10 3.0 2WD 02~07 (MCR30 SAME) LH SHORT	GF-DSTO-18	30	24	652	48
146	DRIVE SHAFT	TOYOTA	ACV30/31 02~06 RH LONG	GF-DSTO-19	26	24	955.5	48
147	DRIVE SHAFT	TOYOTA	ACV30/31 02~06 LH SHORT	GF-DSTO-20	26	24	658	48
148	DRIVE SHAFT	TOYOTA	ACU30 2.4 2WD 04~13 (ACR30 SAME) RH LONG	GF-DSTO-21	26	24	961	48
149	DRIVE SHAFT	TOYOTA	ACU30 2.4 2WD 04~13 (ACR30 SAME) LH SHORT	GF-DSTO-22	26	24	662	48
150	DRIVE SHAFT	TOYOTA	MCU30 3.0 2WD 04~13 (MCR30 SAME) RH LONG	GF-DSTO-23	30	24	973	48

DRIVE SHAFT

S/N	DESCRIPTION	CAR BRAND	APPLICATION	GF NO.	DIMENSION			
					A	B	C	ABS
151	DRIVE SHAFT	TOYOTA	MCU30 3.0 2WD 04~13 (MCR30 SAME) LH SHORT	GF-DSTO-24	30	24	652	48
152	DRIVE SHAFT	TOYOTA	KUN25 2.5/KUN26 3.0 04~15 RH/LH SAME	GF-DSTO-25	30	29	630	
153	DRIVE SHAFT	TOYOTA	NCP42 02~07 RH LONG	GF-DSTO-26	24	23	876.5	
154	DRIVE SHAFT	TOYOTA	NCP42 02~07 LH SHORT	GF-DSTO-27	24	23	637.5	
155	DRIVE SHAFT	TOYOTA	ZNE10 1.8 03~08 (ZZE122 SAME) RH LONG	GF-DSTO-28	26	20	910	
156	DRIVE SHAFT	TOYOTA	ZNE10 1.8 03~08 (ZZE122 SAME) LH SHORT	GF-DSTO-29	26	20	638.5	
157	DRIVE SHAFT	TOYOTA	ZZE141 1.6 08~13 (ZZE121 SAME) RH LONG	GF-DSTO-30	26	23	908	48
158	DRIVE SHAFT	TOYOTA	ZZE141 1.6 08~13 (ZZE121 SAME) LH SHORT	GF-DSTO-31	26	23	636.5	48
159	DRIVE SHAFT	TOYOTA	LN106 RH/LH SAME	GF-DSTO-32	26	23	490	
160	DRIVE SHAFT	TOYOTA	LN166 RH/LH SAME	GF-DSTO-33	26		532.5	
161	DRIVE SHAFT	TOYOTA	AE101/111 RH LONG	GF-DSTO-34	26	23	910	
162	DRIVE SHAFT	TOYOTA	AE101/111 LH SHORT	GF-DSTO-35	26	23	605	

TRIPOD

S/N	CAR BRAND	APPLICATION	GF NO.	DIMENSION		PHOTO
				A	B	
1	VOLKSWAGEN	VOLKSWAGEN BORA 11- VOLKSWAGEN HETTA	S-119	34	44.3	
2	VOLKSWAGEN	VOLKSWAGEN Sagitar	S-110	32	41.5	
3	TOYOTA	TOYOTA BILUX29 DIEBTEBTE SX48MM	S-134	29	48.3	
4	TOYOTA	TOYOTA HILUX 1KZ/LUCIDA	TO-5052-2	24	48	
5	TOYOTA	TOYOTA YARIS 2011.15	S-103	20	30	
6	TOYOTA	TOYOTA CAMRY/AVENSIS 02-/ SIENNA 98-03	S-137	26	43.3	
7	TOYOTA	TOYOTA SIENNA 2004-10	S-139	27	46.7	
8	TOYOTA	TOYOTA COROLLA 2009-13	S-138	30	35.4	
9	TOYOTA	TOYOTA 4RUNNER TIYITA TAGOMA 4WD 2005-10	S-135	30	48	
10	TOYOTA	TOYOTA SCION	S-126	25	42.2	
11	TOYOTA	TOYOTA COROLLA 93-01	TO-5001-2	29	37.1	
12	TOYOTA	TOYOTA TERCEL	S-109	22	29	

S/N	CAR BRAND	APPLICATION	GF NO.	DIMENSION		PHOTO
				A	B	
13	TOYOTA	TOYOTA COROLLA	S-132	25	43.2	
14	TOYOTA	TOYOTA CAMRY	S-108	27	43.2	
15	SUZUKI	SUZUKI XL-7	S-121	36	41.4	
16	SUZUKI	SUZUKI VITARA 2009-13	S-129	24	34	
17	SUBARU	SUBARU IMPREZA	S-122	30	40	
18	NISSAN	NISSAN TIIDA/VERSA 14	S-105	21	30.5	
19	NISSAN	NISSAN SENTRA B11 82-86	NI-5046-2	24	30	
20	NISSAN	NISSAN ALTIMA 2002-06	S-127	33	43.5	
21	MITSUBISHI	MITSUBISHI MIRAGE 92-00	S-115	23	33	
22	MITSUBISHI	MITSUBISHI MIRAGE 14-	S-104	26	30	
23	MITSUBISHI	MITSUBISHI MIRAGE 15-	S-114	28	32.5	
24	MAZDA	MAZDA 3 1.6L 2004-09	MI-5002-2	22	32	

S/N	CAR BRAND	APPLICATION	GF NO.	DIMENSION		PHOTO
				A	B	
25	MAZDA	MAZDA 3.2.3L 2004-13	S-112	24	35.5	
26	MAZDA	MAZDA 2	S-140	29	33	
27	MAZDA	MAZDA 3 2014-17	S-124	30	39.7	
28	MAZDA	MAZDA CX-9 2007-12	S-118	36	47.8	
29	MAZDA	MAZDA MPV 99-03	S-127	33	43.5	
30	KIA	KIA PRIDA 20T	MZ-5013F2	20	27.8	
31	KIA	KIA PRIDA 19T	MZ-5014F2	19	27.8	
32	KIA	KIA SPORTAGE 2004-10	S-120	24	42	
33	KIA	KIA SPORTAGE 2011-15	S-116	24	42.3	
34	JAC	JAC J3 A-GLASS 21 DIENTE SX36 MM AXIAL	S-131	21	36.3	
35	HYUNDI	HYUNDI TUCSON 2004-10	S-120	24	42	
36	HYUNDI	HYUNDI TUCSON 2011-15	S-116	24	42.3	

TRIPOD

S/N	CAR BRAND	APPLICATION	GF NO.	DIMENSION		PHOTO
				A	B	
37	HYUNDAI	HYUNDAI TUCSIN MT 14-23	S-133	33	35.6	
38	HYUNDAI	HYUNDAI ATOS HYUNDAI I10	DA-5001-2	20	29.4	
39	HYUNDAI	HYUNDAI ELANTRA 2010-15	MI-5002-2	22	32	
40	HYUNDAI	HYUNDAI SANTA 2007-10 HONDA PILOT 2003-08	S-141	35	46	
41	HONDA	HONDA OR.V(TRASERA)2007.11	S-103	20	30	
42	HONDA	HONDA CIVIO 2011-15	S-102	21	34.6	
43	HONDA	HONDA CIVIC 2006-13	S-106	22	38.3	
44	HONDA	HONDA FIT 2001-07	S-128	28	33	
45	HONDA	HONDA CR-V/ACCORD 2003-	S-113	32	38.1	
46	HONDA	HONDA ODYSSEY 2005-10	S-125	35	39.5	
47	HONDA	HONDA FIT 2009-13	S-130	29	33	
48	HONDA	HONDA ODYSSEY 99-04	S-117	35	38.5	

TRIPOD

S/N	CAR BRAND	APPLICATION	GF NO.	DIMENSION		PHOTO
				A	B	
49	FORD	FORD FOCUS 00-06	S-105	21	30.5	
50	FORD	FORD RANGER 2007-10	S-112	24	35.5	
51	FORD	FORD ESCAPE 08-	S-139	27	46.7	
52	FORD	FORD ESCAPE	S-136	27	46.8	
53	FORD	FORD FOCUS	S-123	23	40	
54	CHEVTOLRT	CHEVTOLRT AVEO 2010-15	S-101	29	33.2	

Global sales figure

全球销售图



公司拥有优质的生产设备，专业的技术人员，完善的售后服务，在众多客户中建立起高品质诚信商户。得到各客户的支持，冠丰产品远销东南亚、中东、东欧各国。深入国内，得到外籍专业人士的认可和好评。

冠丰采取现代企业管理和操作作为目标，严格控制产品质量为基础，以人为本，实现创建一流追求卓越的服务标准。

The company has high-quality production equipment, professional and technical personnel, and improve after-sales service, and establish a high-quality business integrity in many customers. Give each customer support, GF products are exported to Southeast Asia, the Middle East and Eastern Europe. Deeply domestic and foreign recognition and praise professionals.

GF adopt modern enterprise management and operation as a target, and strictly control the quality of products based, people-oriented and achieve to create a first-class service excellence standards.

Professional technology
www.gf-cvjoint.com

